# Dr Hon Priscilla LEUNG Mei-fun, SBS, JP 梁美芬議員

Geographical Constituency - Kowloon West Business and Professionals Alliance for Hong Kong Kowloon West New Dynamic

### **Membership in Environmental-related Committees:**


- Panel on Environmental Affairs
- Subcommittee on Air Pollution Control (Volatile Organic Compounds)
   (Amendment) Regulation 2017
- Subcommittee on Promotion of Recycling and Proper Disposal (Electrical Equipment and Electronic Equipment) (Amendment) Ordinance 2016 (Commencement) Notice 2017 and Product Eco-Responsibility (Regulated Electrical Equipment) Regulation

## **Voting Record:**

8 December 2016: Motion Moved by Hon Chan Han-Pan on "Updating the	
Hong Kong Planning Standards and Guidelines and Increasing Community	Yes
Facilities to Enhance Living Environment" as Amended by Hon Alice Mak,	res
Ir Dr Hon Lo Wai-Kwok, Hon Frankie Yick and Hon Andrew Wan	
1 June 2017: Motion on "Promoting 'Hong Kong People Using Hong Kong	No
Water' and Protecting Local Resources"	No
5 July 2017: Proposed Resolution Moved by Secretary for the Environment	
under the Product Eco-Responsibility Ordinance and the Interpretation	Yes
and General Clauses Ordinance	
16 November 2017: Proposed Resolution under the Energy Efficiency	
(Labelling of Products) Ordinance	
31 January 2018: Protection of Endangered Species of Animals and Plants	Vos
(Amendment) Bill 2017 - Third Reading	Yes
12 April 2018: Motion Moved by Hon Frankie Yick on "Promoting the	
Popularization of Electric Vehicles" as Amended by Hon Kenneth Leung,	Yes
Hon Charles Peter Mok, Ir Dr Hon Lo Wai-Kwok, Hon Yung Hoi-Yan, Hon	103
Chan Hak-Kan and Hon Tanya Chan	

# **Panel on Environmental Affairs Attendance:**

### As Member



## **Comments Made in Environmental-related Committees:**

Panel on Environmental Affairs

20170424	26. <b>Dr Priscilla LEUNG</b> urged the Administration to implement	Water				
	a set of comprehensive odour control/mitigation measures					
	and apply for the necessary funding in support of a long-term					
	plan of five to 10 years to resolve the problems at source and					
	to promote water-friendly culture and activities. She stressed					
	that substantial financial and technological inputs were					
	required for implementing a comprehensive plan to resolve					
	the strong stenches problem at the harbourfront. She					
	enquired about the possibility of conducting cross-bureau					
	projects to be led by the Environment Bureau for					
	improvement of the harbourfront pollution and odour					
	problem.					
20171012	11a. Improving the water quality in Hong Kong: <b>Dr Priscilla</b>					
	<b>LEUNG</b> requested the Administration to provide details on the					
	policies and measures to be implemented in the light of the					
	findings of the consultancy study on further enhancing quality					
	of coastal waters of Victoria Harbour commissioned by the					
	Administration, and to explore how to reduce odour nuisance					
	of the Victoria Harbour waters through joint efforts of the					
	concerned districts.					
20171012	11c. Existing polices on bicycles and promoting bicycles as a	Air				
	mode of transport: Mr HUI Chi-fung and Dr Priscilla LEUNG					
	suggested that the Administration should advise on the timing					
	for reverting to the Panel on the subject.					

20180326						
	follow-up actions to address the environmental, hygiene and					
	other problems arising from the operations of recyclers i					
	Sham Shui Po, including (a) the number and working hours of					
	additional patrol teams, and frequency of enhanced patr					
	(b) the number of enforcement operations (including join					
	enforcement operations) carried out in recent years, (c)					
	additional manpower, if any, allocated to the relevant					
	government departments for the above purposes, (d)					
	assessment of the effectiveness of the above enforcement					
	actions, and (e) the Administration's plan, if any, regarding the					
	provision of spaces for temporary storage and					
	loading/unloading of recyclables in the district.					
20190325	29. <b>Dr Priscilla LEUNG</b> considered that the Environment	Water				
	Bureau ("ENB")/Environmental Protection Department					
	("EPD") should strengthen coordination with other					
	bureaux/departments, including the Marine Department, in					
	tackling air pollution nuisances caused by marine incidents					
	such as oil spillages and leakages of chemical substances.					
20190325	38. <b>Dr Priscilla LEUNG</b> and the Chairman expressed support	Water				
	for the Administration's proposal [to improve water quality].					
	- 11 [1					
	Dr LEUNG welcomed the construction of dry weather flow					
	Dr LEUNG welcomed the construction of dry weather flow					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for treatment) in more districts to improve the water quality in					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for treatment) in more districts to improve the water quality in coastal areas and alleviate the associated odour problems.					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for treatment) in more districts to improve the water quality in coastal areas and alleviate the associated odour problems. Nevertheless, as the benefits of DWFIs were limited, she					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for treatment) in more districts to improve the water quality in coastal areas and alleviate the associated odour problems. Nevertheless, as the benefits of DWFIs were limited, she considered that the Administration should formulate a					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for treatment) in more districts to improve the water quality in coastal areas and alleviate the associated odour problems. Nevertheless, as the benefits of DWFIs were limited, she considered that the Administration should formulate a comprehensive strategy for improving the water quality of					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for treatment) in more districts to improve the water quality in coastal areas and alleviate the associated odour problems. Nevertheless, as the benefits of DWFIs were limited, she considered that the Administration should formulate a comprehensive strategy for improving the water quality of Victoria Harbour, which should cover short, medium and long-					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for treatment) in more districts to improve the water quality in coastal areas and alleviate the associated odour problems. Nevertheless, as the benefits of DWFIs were limited, she considered that the Administration should formulate a comprehensive strategy for improving the water quality of Victoria Harbour, which should cover short, medium and long-term measures. In this connection, she enquired about the					
	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for treatment) in more districts to improve the water quality in coastal areas and alleviate the associated odour problems. Nevertheless, as the benefits of DWFIs were limited, she considered that the Administration should formulate a comprehensive strategy for improving the water quality of Victoria Harbour, which should cover short, medium and long-term measures. In this connection, she enquired about the progress of a relevant consultancy study commissioned by EPD, and whether the Administration would consider the application of biological treatment in tackling near shore					
20191028	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for treatment) in more districts to improve the water quality in coastal areas and alleviate the associated odour problems. Nevertheless, as the benefits of DWFIs were limited, she considered that the Administration should formulate a comprehensive strategy for improving the water quality of Victoria Harbour, which should cover short, medium and long-term measures. In this connection, she enquired about the progress of a relevant consultancy study commissioned by EPD, and whether the Administration would consider the application of biological treatment in tackling near shore water pollution.	Water				
20191028	Dr LEUNG welcomed the construction of dry weather flow interceptors ("DWFIs") (which intercepted and diverted polluted dry weather flow from a stormwater drain/channel into the sewerage system during non-rainy days for treatment) in more districts to improve the water quality in coastal areas and alleviate the associated odour problems. Nevertheless, as the benefits of DWFIs were limited, she considered that the Administration should formulate a comprehensive strategy for improving the water quality of Victoria Harbour, which should cover short, medium and long-term measures. In this connection, she enquired about the progress of a relevant consultancy study commissioned by EPD, and whether the Administration would consider the application of biological treatment in tackling near shore	Water				

		problems, especially in the vicinity of the Hung Hom					
		Promenade. However, she observed that the odour problems					
		persisted in some other coastal areas, such as Tsim Sha Tsui					
		Promenade. She asked about the reasons for that and the					
		latest developments in enhancing the quality of coastal					
		waters, including whether the wider application of hydrogel					
		would be considered, the progress of rectifying foul water					
		pipe misconnections, and whether biochemical odour					
		removal methods would be introduced.					
		removal methods would be introduced.					
20	0191216	removal methods would be introduced.  34. <b>Dr Priscilla LEUNG</b> said that it might be technically difficult	Air				
20	0191216		Air				
20	0191216	34. <b>Dr Priscilla LEUNG</b> said that it might be technically difficult	Air				
20	0191216	34. <b>Dr Priscilla LEUNG</b> said that it might be technically difficult to quantify the effect of air quality improvement measures on	Air				
20	0191216	34. <b>Dr Priscilla LEUNG</b> said that it might be technically difficult to quantify the effect of air quality improvement measures on public health. She sought information on the follow-up actions	Air				
20	0191216	34. <b>Dr Priscilla LEUNG</b> said that it might be technically difficult to quantify the effect of air quality improvement measures on public health. She sought information on the follow-up actions taken by Administration in response to the motion passed by	Air				
20	0191216	34. <b>Dr Priscilla LEUNG</b> said that it might be technically difficult to quantify the effect of air quality improvement measures on public health. She sought information on the follow-up actions taken by Administration in response to the motion passed by the Panel on 25 March 2019, which requested the	Air				

Subcommittee on Air Pollution Control (Volatile Organic Compounds) (Amendment) Regulation 2017

20171107	1.	Dr LEUNG sought justifications for setting different levels of
		penalties for contravention of the new sections 16M, 16N and 16O
		to be added to Cap. 311W.
	2.	Dr LEUNG and the Chairman asked how the list of exempt
		compounds for newly regulated products was determined.
	3.	The Chairman and <b>Dr LEUNG</b> further enquired if the
		Administration would commission local researches with a view to
		adjusting the list of exempt compounds to Hong Kong's conditions.